Name, Address City, County, ZIP: American Energy Corporation

Station Code:

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

43521 Mayhugh Hill Road **TWP 88**

Beallsville OH 43716

Sampling Station Description:

Final

	r 1 for Continuous r frequency of sam	, 2 for Composite, 3 apling		teporting Lab: Industrial Lab		Analyst :	
(1)	3	3	3	3	3	3	
(2)	1	1	1	1	1	1	
	(01045)	(01055)	(00530)	(00045)	(00400)	(50050)	
	n, Total (Fe) M ug/l	anganese, Total (Mn)	Total Suspended Solids	Total Precipitation	рН S.U.	Flow Rate MGD	
Day		ug/l	mg/l	Inches			
01			and the state of t	0.38	T BUS TRANSPORTED TO THE STREET OF THE STREE	0.007	
02	7.11.11.11.11.11.11.11.11.11.11.11.11.11		PHILIP OF THE AMERICAN PROPERTY OF THE PROPERT	0		AN	
03				0	THE TAX THE PROPERTY OF THE PARTY OF THE PAR	AN	
04	The state of the s		HE STATE OF THE CONTROL OF THE CONTR	0		0.006	
05				0		0.072	
06	60	150	4	0 :	8.5	0.075	THE COLUMN THE PERSON NAMED TO BE STOLEN.
07			Property of Publication - American - Publication - Publica	0	. #/####	0.082	
08				0		0.075	
09				0		AN	
10				0		AN	**************************************
11			die 1	0		0.18	***************************************
12				. 0		0.043	THE WAS ARREST WAY OF THE COMMENT OF SHAREST CONTRACTORS
13				0		0.154	
14				0	- J	0.064	Mat. at an area on a common of the action of the common of
15		LASE MITTEL IN AMERICAN STREET		0		0.122	THE CONTRACTOR OF STREET
16			· · · · · · · · · · · · · · · · · · ·	0		AN	
17				0		AN	
18		***************************************		0		0.086	
19				0	MARINET, P. M MARINET, C A - A - A - A - A - A - A - A - A -	0.084	
20	70	70	5	0	8.5	0.083	
21				0		0.08	
22			***************************************	0	4.6.6.16.	0.178	
23			m.m.m.	0		AN	
24				0.14		AN	
25				1.05		AN	
26				0		0.189	
27			number 18-tundunununver-renunnunversun	0	oditio	0.664	
28		-		0	1)	0.2	
29				0		0.178	
30				0		AN	
31	<u> </u>			0.3		AN	
OTAL	130	220	9	1.87	17	2.622	0
AVG	65	110	4.5	0.0603	N/A	0.1311	
VAX	70	150	5	1.05	8.5	0.664	
MIN	60	70	4	0	8.5	0.006	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/13/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

008

Reported Date (Month Year): December 2006

Application:

0i100091*GD

1/13/2007

Sampling Station Description:

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road

TWP 88 Beallsville OH 43716 Station Code:

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Final

	nter 1 for Continuenter frequency of	ous, 2 for Composite, 3 sampling		Reporting Lab: [ndustrial Lab		Analyst :	
(1)	3	3	3	3	3	3	3
(2)		1	1	1	1	1	1
	(01045) Iron, Total (Fe ug/l	(01055)) Manganese, Total (Mn) ug/l	(00515) Residue, Total Dissolved mg/l	(00530) Total Suspended Solids mg/1	(00045) Total Precipitation Inches	(00400) pH S.U.	(50050) Flow Rate MGD
01	AL						
02	***************************************				NI OS CONTRACTOR OF THE PROPERTY OF THE PROPER		
03			***				
04	***************************************				THE RESERVE THE PROPERTY OF THE PARTY OF THE	1	
05							
06	***************************************						
07							
08	this literate of the cold from Juga confidences company, you agreement, pays companying						
09	***************************************				Philips		140-88
10				***************************************			
11				799777777777777777777777777777777777777	VII		-
12			**************************************	- 140.17			
13							
14					Mi		
15				A STATE OF THE STA			
16			,,				
17					-		
18					Spanish and the same on		
19		And the same and t			-		
20							
21				181			
22							
23							
24							
25		THE COLUMN TO STATE OF THE COLUMN TWO IS NOT					
26							
27							
28					The first of the f		
29							
30							
31							
OTAL	0	0	0	0	0	0	0
٩VG	0					N/A	
MAX	0						
MIN	0	0	0	0	0	0	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/23/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Name, Address City, County, ZIP:

Station Code: 012

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Sampling Station Description:

	r 1 for Continuous, r frequency of sam		3 for Grab Sampl	e Reporting Lab Industria	Reporting Lab: Industrial Lab Analyst:					
(1)	3								1	
(2)	1									
	(00094) Conductivity Umho/Cm									
Day									4	
01	AL					and the second s				
02					The state of the s	THE REAL PROPERTY OF THE PROPE				
03										
04					wave seement the open done and the	·				
05										
06										
07		F F 7 70 70F THEIR HIS PROPERTY OF THE PARTY								
08										
09				Tech (API) a beather of the Colonial and						
10										
11			MI							
12	THE CONTRACT OF THE CONTRACT O			i i i i i i i i i i i i i i i i i i i	***************************************					
13										
14										
15		The state of the s								*************
16			30.		Type of the second of the control of			B		.1111
17					Annual Control of the			***************************************		
18										
19		Marry Millians								
20										
21	COMMENTAL MARKET MICE.					4. Ann				
22										
23		TO AND A								
24		- 1171 - 1000 11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1				·		HILTER C. MANAGEMENT OF CONTROL O		
25							<u> </u>			
26										
27							-	(HDD)		
28									ļ	
29								***************************************		
30			The state of the s							
31										
OTAL	0	0	0	0		0		0	0	
AVG										
MAX	0						 	N-17-11		
MIN	0	0	0	0		0	-	0	0	

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road

TWP 88 Beallsville OH 43716 Station Code:

013

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Final

	Enter 1 for Continuo Enter frequency of s	ous, 2 for Composite, 3 campling		Reporting Lab: Industrial Lab		Analyst :	
(1)	3	3	3	3	3	3	3
(2)		1	1	1	1	1	1
(-/	(01045)	(01055)	(00515)	(00530)	(00045)	(00400)	(50050)
	Iron, Total (Fe)	Manganese, Total	Residue, Total	Total Suspended	Total	Нq	Flow Rate
Day	ug/l	(Mn) ug/l	Dissolved mg/l	Solids mg/l	Precipitation Inches	S.U.	MGD
01	AL						ļ
02							
03	C P P P P P P P P P P P P P P P P P P P			THE THE THE THE PERSON OF THE TAX TO A CAMPAGE AND THE PERSON.			
04			P. C. P. C. STANDARD CO. S. S. STANDARD CO. S.	the state of the s			
05							
06							
07				,,,,			
08	William Company of Abraham						
09					-40.0		
10							
11							
12			and the second s				THE
13							
14							77
15	THE PERSON OF TH					10),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
16							
17							
18				,		(1773) (1773) (1871) (1871) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884)	
19						*	
20	·····						
21				The state of the s			
22						PHILIPPETER THE PROPERTY OF TH	
23							
24					HUUUMBINION TURTUU TIINAAN IR		
25			4		WHITE AND THE STREET OF STREET		
26		THE RESERVE OF THE PROPERTY OF	V 11917 1.17 1.17 1.17 1.17 1.17 1.17 1.17			The state of the s	
27				T			
28	TARREST TO STATE OF THE STATE O						
29							
30							
31				,			
OTAL	0	0	0	0	0	0	0
ĀVG	0					N/A	
MAX	0						
MIN	0	0	0	0	0	0	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/13/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88 BeallsvilleOH43716

Station Code:

Reported Date (Month Year): December 2006

Application:

0i100091*GD

1/13/2007

Sampling Station Description:

	ter 1 for Continuou ter frequency of sa		3 for Grab Sample	Reporting Lab: Industrial La	ab	Analyst :	
(1)	3						<u> </u>
(2)	1						
	(00094) Conductivity Umho/Cm	,				_	
Day					III. III. III. III. III. III. III. III		.,,
01	AL						
02							
03			i : :			: :	
04							
05							
06							
07							MAL AREA - No. 46 at a 100
08			The state of the s	THE RESERVE THE PROPERTY OF TH	- Lake to Barrier 2 and 1 and 1 and 1 and 1 and 2 and	THE PART LIBERTY CONTRACTOR OF THE PARTY OF	
09							
10							
11							
12							
13							
14		***************************************					
15							
16					Handred Handre	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
17							
18					the same to the sa	•	
19		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			arracing and a second a second and a second		
20					No. 1		
21							1
22						19 and a 19	The state of the s
23					termination of the state of the	Table 1. Section 1. Se	
24	117400-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-				·		
25					1		
26			· · · · · · · · · · · · · · · · · · ·		**************************************		
27					nama da		
28					the state of the s		
29							
30							
31							
OTAL	0	0	0	0	0	0	0
AVG							
MAX	0						
MIN	0	0	0	0	0	0	0

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

013

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Name, Address City, County, ZIP:
American Energy Corporation
43521 Mayburgh Hill Boad

American Energy Corporation 43521 Mayhugh Hill Road TWP 88 Beallsville OH43716 Station Code:

014

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

on: 1/13/2007

Sampling Station Description:

Final

	Enter 1 for Continuo Enter frequency of s	us, 2 for Composite, 3 ampling		Reporting Lab: Industrial Lab		Analyst :	
(1)	3	3	3	3	3	3	3
(2)		1	1	1	1	1	1
	(01045)	(01055) Manganese, Total (Mn) ug/l	(00515) Residue, Total Dissolved mg/l	(00530) Total Suspended Solids mg/1	(00045) Total Precipitation Inches	(00400) pH S.U.	(50050) Flow Rate MGD
01	AL	***************************************					
02							
03					a company of the second second second		
04				CONTRACTOR			
05				**************************************	***		
06					***************************************	W. W. W.	
07						COMPANIA (ACCORDANCE A COMPANIA COMPANIA (COMPANIA A COMPANIA A CO	1
08	***************************************		- (244 fer 1999) - 11 11 11 11 11 11 11 11 11 11 11 11 1				
09			7./autti attaan = 1./a	<u> </u>	**************************************	- POUT-LAND	
10	***************************************			4			
11							
12							
13							
14	····						
15				ar a			
16							
17							
18							
19							
20							
21							.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
22							
23							
24							41 CON 1870 TO THE PROPERTY OF
25						Paris (10.100	
26				an manage (111-11))			
27	***************************************						
28							
29			NAV., PT 7				
30	***************************************						
31					4		
OTAL	0	0	0	0	0	0	0
AVG	0				-	N/A	
MAX	0						1
MIN	0	0	0	0	0	0	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/13/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road

TWP 88

Beallsville OH43716

Station Code:

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

	ter 1 for Continuous, ter frequency of sam		3 for Grab Sample F	leporling Lab: Industrial Lab	ı	Analyst :	
(1)	3						
(2)	1		*				
`							· · · · · · · · · · · · · · · · · · ·
	(00094) Conductivity Umho/Cm						
Day	OMITIO/ CIII						
01	AL						
02							
03		MINI-1011-1011-1-101-1-101-1-1-1-1-1-1-1-1-					
04							
05							
06							
07							
08					,		
09							
					·		
10					i		
11							
12							
13							- International Property Sec. Attraction Control
14			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,		
15					·		
16			M		<u> </u>		
17							
18							
19							
20			,,,,		1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
21							
22					,		
23			MAN MPN MAN HAND THE THEORY OF THE TOTAL PROPERTY OF THE TOTAL PRO	***************************************			
24							
25					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
26		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
27					}		
28					- 		
29	.,,,_				1		
30					, g		

31	0	0	0	0	0	0	0
OTAL	U	U	U	V	<u> </u>	U	<u> </u>
AVG	0						
MAX	0	0	0	0	0	0	0
MIN	U	U	l	U	i v	U	U

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

014

Reported Date (Month Year): December 2006

Application:

0i100091*GD

1/13/2007

Sampling Station Description:

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road

TWP 88 Beallsville OH 43716 Station Code: 002

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Final

	nter 1 for Continunter frequency of	ous, 2 for Composite, sampling	3 for Grab Sample	Reporting Lab :		Analyst :	
(1)	3	3	3	3	3	3	
(2)	1	1	1	1	1	1	
	(01045) [ron, Total (Fe ug/l	(01055) Manganese, Total (Mn) ug/1	(00530) Total Suspended Solids mg/1	(00045) Total Precipitation Inches	(00400) pH S.U.	(50050) Flow Rate MGD	
ау)1		ug/1	mg/1	0.38		0.001	***************************************
02				0.38		AN	
		·	······································	0		AN	
03				0		0.001	
04 05				0		0.001	
	130	20	2	0	7.3	0.001	
06	130	ΔU	۷		1.3		
07				0		0.001	
08				0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.001	
09			***************************************	0 .		AN AN	
10							
11				0		0.001	
12	······································			0	······································	0.001	
13				0		0.001	
14				0		0.001	
15				0		0.001	
16			**************************************	0		AN	
17				0		AN	
18	MARKATAN MA			0		0.001	
19			,	0		0.001	
20	150	20	1	0	7.3	0.001	
21		,,,,,		0		0.001	
22				0		0.001	
23				0		AN	
24	AND			0.14		AN	
25				1.05		AN	
26				0		0.001	
27				0		0.001	
28				0		0.001	
29			_	0		0.001	
30				0		0.001	
31				0.3			
OTAL	280	40	3	1.87	14.6	0.021	0
VG	140	20	1.5	0.0603	N/A	0.001	
MAX	150	20	2	1.05	7.3	0.001	
MIN	130	20	1	0	7.3	0.001	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/23/2007

Fred Blumling

Enviornmantal Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

American Energy Corporation

43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road **TWP 88** Beallsville OH 43716

Station Code:

Reported Date (Month Year): December 2006

Application:

0i100091*GD

1/13/2007

Sampling Station Description:

Final

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample Reporting Lab: Analyst: Industrial Lab in(2) - Enter frequency of sampling 3 3 3 1 1 (2)1 1 1 (01055) (00530) (01045)(00045)(00400) (50050) Iron, Total (Fe) Tota1 Total Suspended Flow Rate Manganese, Total pH s.u. ug/l (Mn) Solids Precipitation MGD Day ug/l mg/1Inches 0.38 0.007 01 0 02 AN 0 03 ΑN 0 04 0.006 0 05 0.072 06 60 150 4 0 8.5 0.075 07 0 0.082 0 0.075 80 09 0 AN 0 AN 10 11 0 0.18 12 0 0.043 0 0.154 13 0 14 0.064 0 0.122 15 0 16 AN 17 0 ΆN 0 0.086 18 0 0.084 19 70 20 70 5 0 8.5 0.083 0 0.08 21 0.178 0 22 23 0 AN 0.14 24 AN 1.05 25 AN 26 0 0.189 27 0 0.664 0 28 0.2 0 0.178 29 0 30 AN 31 0.3 AN TOTAL 130 220 9 1.87 17 2.622 0 AVG 65 110 4.5 0.0603 N/A 0.1311 MAX 70 150 5 1.05 8.5 0.664 0 MIN 60 70 4 8.5 0.006

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Signature of Reporter: Date Report Completed: 01/13/2007

Title of Reporter:

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

800

Reported Date (Month Year): December 2006

Application:

0i100091*GD

1/13/2007

Sampling Station Description:

Beallsville OH 43716

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP 88 Station Code:

Reported Date (Month Year):

December 2006

Application:

1/13/2007

015

Sampling Station Description :

0il00091*GD

Final

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample Reporting Lab :

F		1		· · · · · · · · · · · · · · · · · · ·			·
(1)	3	3	3	3	3	3	3
(2)[(01045)	1 (01055)	1	1	1	1	1
	Iron, Total (Fe)	(01055) Manganese, Total	(00515) Residue, Total	(00530) Total Suspended	(00045) Total	(00400) pH	(50050) Flow Rate
Day	ug/l	(Mn) ug/l	Dissolved mg/l	Solids mg/l	Precipitation Inches	S.U.	MGD
01		ug/1	mg/1	mg/ I	0.38		0.016
02					0.38		
03					0	- 1997 PT - 1985-11 (19 1001101010101010101010101010101010101	AN
03					0		AN
							0.006
05					0		0.006
06					0		0.007
07	290	3190	7516	2 .	0	7.9	0.006
08					0		0.005
09					0	8/1/	AN
10				'	0		AN
11					0		0.006
12				,	0		0.008
13					0		0.009
14					0		0.008
15					0		0.008
16					0		AN
17				+	0		AN
18				,	0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.009
19					0		0.007
20	40	200	8076	36	0	8.1	0.006
21				,	0		0.007
22					0		0.01
23					0		AN
24					0		AN
25			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0.14		AN
26					1.05		0.014
27							0.014
28					0		0.016
29					0		0.012
30					0		AN
31				1	0.3		AN
OTAL	330	3390	15592	38	1.87	16	0.18
AVG	165	1695	7796	19	0.0603	N/A	0.009
MAX	290	3190	8076	36	1.05	8.1	0.016
MIN	40	200	7516	2	0	7.9	0.005

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/13/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road

Station Code:

Reported Date (Month Year):

Application: 0i100091*GD

1/13/2007

TWP 88

Beallsville OH 43716

December 2006

Sampling Station Description: Final

	er 1 for Continuous, er frequency of sam		for Grab Sample	Reporting Lab Industria	Reporting Lab: Industrial Lab Analyst:					
(1)	3									
(2)	1		T							
	(00094) Conductivity Umho/Cm									
Day										.,
01										
02										
03									testestes are a series considered and	
04		***************************************								
05										
06										
07	9800									
08										
09					:					
10										
11										.,
12									,,,,,,,	
13										
14										
15					3				.,,	
16										
17					1					
18										,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
19										
20	9650	\\				***************************************				***************************************
21					1					
22			**************************************		***************************************					<i>,</i>
23										
24										***************************************
25										
26										
27										
28					i					
29					·					
30					į.					
31										
OTAL	19450	0	0	0	Ï	0		0	0	
AVG	9725						 			
MAX	9800					10000 100 30 300 300			/	
MIN	9650	0	Ö	0		0		0	0	

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

4500

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Station Code: 016

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

BeallsvilleOH43716

Sampling Station Description:

Final

	inter 1 for Co inter frequer		us, 2 for Composite, 3 ampling		Reporting Lab: Industrial Lab		Analyst:	
(1)	3		3	3	3	3	3	3
(2)			1	1	1	1	1	1
Day ((0104	1 (Fe)	(01055) Manganese, Total (Mn) ug/l	(00515) Residue, Total Dissolved mg/l	(00530) Total Suspended Solids mg/1	(00045) Total Precipitation Inches	(00400) pH S.U.	(50050) Flow Rate MGD
01	AL							
02								
03								
04				···///	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		**************************************	
05								
06	.,				<u> </u>			
07								
08					:		9 dhada	
09					1			
10								
11	1							
12	······································						***************************************	
13	-di	***************************************		·//	,		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
14	·*····································							
15								
16								
17								
18						-		
19								
20								
21								
22					,			
23								
24								
25								
26								
27								
28								
29								
30								
31								
OTAL	0		0	0	0	0	0	0
AVG	0						N/A	
MAX	0							
MIN	0		0	0	0	0	0	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/13/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

Station Code:

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Sampling Station Description:

	iter 1 for Continuou iter frequency of sa	is, 2 for Composite, 3 impling	for Grab Sample	Reporting Lab: Industrial La	ab	Analyst :	
(1)	3	Ì					
(2)	1						
٠ / اــ	(00094)						
	(00094) Conductivity Umho/Cm						
Day							
01	AL						
02							
03							
04							
05			174.1.1.27.1.24.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.				
06							
07							
08							
09			***************************************		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
10							
11							
12							
13							
14		***************************************					
15							·······
16							
17							
18					è		
19					(
20					,		
21					!		
22							
23			·		www.quumuumuumuumuumuumuumuumuumuumuumuumuum		
24							
25					1		
26					,		
27			M				
28							
29					4		
					1	-	
30							
31 TOTAL	0	0	^		0	0	
AVG	0	V	0	0	U	U	0
MAX	0						
MIN	0	0	0	0	0	0	0
IVIIIV	<u> </u>	· · · · · · · · · · · · · · · · · · ·	U	L U	U	J	<u> </u>

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code: 016

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

017

Reported Date (Month Year):

December 2006

Application:
0i100091*GD

1/13/2007

Sampling Station Description:

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample in(2) - Enter frequency of sampling

Reporting Lab:

INDUSTRIAL LAB

Analyst:

(2) - En	iter frequency of s	ampling		INDUSTRIAL LA			
(1)	3	3	3	3	3	3	3
(2)	1	1	1	1	1	1	1
Day	(80082) CBOD 5 day mg/l	(31616) Fecal Coliform #/100 ml	(01330) Odor, Severity Units	(01350) Turbidity, Severity Units	(00530) Total Suspended Solids mg/l	(00610) Nitrogen, Ammonia (NH3) mg/l	(00056) Flow Rate GPD
01							6000
02							AN
03			The second secon				AN
04					Marine Annual An		5000
05							5000
06	5		0	0	1	0.05	4000
07					1		10000
08							5000
09		-					AN
10	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			***************************************	The state of the s		AN
11							4000
12							6000
13	ALL MA				Marie		3000
14	Miles Marie St. 411 commerce of the second s						6000
15							6000
16							AN
17							AN
18							5000
19							5000
20							6000
21	7 A A A A A A A A A A A A A A A A A A A						5000
22	The state of the s						5000
23			***************************************				AN
24							AN
25							AN
26	5		0	0	1	0.5	4000
27							5000
28							5000
29				4	1		5000
30							AN
31	and the state of t			•			AN
OTAL	10	0	0	0	2	0.55	105000
N/G	5		0	0	1	0.275	5250
ИΑХ	5		0	0	1	0.5	10000
MIN	5	0	0	0	1	0.05	3000

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/13/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Beallsville OH 43716

08 09

MAX

MIN

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP 88 Station Code:

Reported Date (Month Year):

December 2006

Application:

1/13/2007

Sampling Station Description:

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample Reporting Lab: Analyst: INDUSTRIAL LAB in(2) - Enter frequency of sampling 3 3 (1) (2)1 1 1 1 (50060) Chlorine, Total Residual (00083) (00010) (00300) (00400) Color, Severity Water Temperature
Units C Dissolved Oxygen pH S.U. mg/1Day mg/101 02 03 04 05 9 0 11 7.2 0 06 07

			1				
10					***************************************		
11			***************************************		M		
12							
13							•
14					ļ		
15							
					I		
16					ļ		
17					·		
18							, S
19							
20		9					
21							,
22							
23					Y		
24							
25		•				-1813-3	
26	0	9	9	7.4			
27					<u></u>		
28		<u> </u>			*		
29							***************************************
30					·		
·					·		
31						_	_
TOTAL	0	27	20	14.6	0	0	0
AVG	0	9	10	N/A	0		

7.4

7.2

0

0

0

0

0

9

9

11

9

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

017

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Beallsville OH43716

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP 88 Station Code:

Reported Date (Month Year):

December 2006

Application:
0i100091*GD

1/13/2007

Sampling Station Description :

Diami

n(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sam n(2) - Enter frequency of sampling			Ind	ustrial Lab	, maryor i	Analyst :	
(1)	3	3			and the second		
(2)	1 .	1					
Day	(80991) Sludge Volume, Gallons Gals	(70318) Sludge Solids, Percent Total		:			
01	AL	- 6					
	AL			I I			
02 03							
04 05							
06							
07				1			
08				1			
09							
10							
11							
12				·			
13							
14							
15	.,						
16							
17							
18							
19							
20							
21							
22							
23				,			
24							
25							
26							
27				,			
28				į			
29							
30							
31							
OTAL	0	0	0	0	0	0	0
AVG	0						
MAX	0		W. 14.1				
MIN	0	0	0	0	0	0	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

01/13/2007

Fred Blumling

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code:

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road **TWP 88**

Station Code:

Reported Date (Month Year): December 2006

Application: 0i100091*GD

1/13/2007

Beallsville OH 43716

Sampling Station Description:

Final

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample Reporting Lab: Analyst: in(2) - Enter frequency of sampling Industrial Lab 3 3 3 (2)1 1 1 (80082) (31616) (01330) (01350) (00530) (00610) (00083) CBOD 5 day Color, Severity Units Fecal Coliform Odor, Severity Units Turbidity, Total Suspended Nitrogen, Ammonia (NH3) #/100 ml Severity Solids Day Units mg/1mq/101 AL 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 TOTAL 0 n 0 0 0 0 n 0 AVG n MAX

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

0

Date Report Completed:

0

Signature of Reporter:

Title of Reporter:

0

01/13/2007

MIN

Fred Blumling

n

Environmental Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Page 1 of 2

0

0

Name, Address City, County, ZIP : American Energy Corporation

American Energy Corporation 43521 Mayhugh Hill Road TWP 88 Beallsville OH43716 Station Code:

Reported Date (Month Year):

December 2006

Application: 0i100091*GD

1/13/2007

Sampling Station Description:

(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample(2) - Enter frequency of sampling			Reporting Lab: Industrial Lab		Analyst :		
(1)	3	3	3	3			
(2)	1	1	1	1			
_	(00300) Dissolved Oxygen mg/l	(00400) pH S.U.	(50050) Flow Rate MGD	(50060) Chlorine, Total Residual			
01	AL			mg/ ±			
02	****						
03							• • • • • • • • • • • • • • • • • • • •
04							i
05							I MANUTED TO THE PARTY OF THE P
06				**************************************			
07		Subres debreterres debribes and a consequence of			-		
08							
09							
10							
11						delativitation of the second o	
12							
13							
							1
14							! !
15				1			
16							
17				·			
18		v					
19							
20							
21		Prince of the control					
22							
23							·
24							·
25							
26							
27							
28							
29							
30						A STATE OF THE STA	
31							
OTAL	0	Ö	0	0	0	0	0
AVG		N/A					
MAX	0						
MIN	0	0	0	0	0	0	0

4500

Name, Address City, County, ZIP:

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH 43716

Station Code: 601

Reported Date (Month Year):

December 2006

Application:

0i100091*GD

1/13/2007

Sampling Station Description: